

MECHANICAL CRIMPING TOOLS HP3

The ratchet controlled tools in the Crimpstar range, are compact, lightweight and easy to use. Features include:

- High precision investment cast jaws.
- Ratchet controlled to ensure precise and consistent crimping.
- Emergency release lever.
- Toggle action leverage to reduce operator effort.
- Automatic handle opening following completion of the crimping operation.
- Ergonomically designed moulded plastic grips.



MECHANICAL CRIMPING TOOLS HP3

Technical characteristics

PROPERTIES

Colour	Black-Orange
Height	19 mm
Width	78 mm
Length	235 mm
Weight	498 g
Type of action	Crimp
Type of action	Crimp
Material (Body)	Special steel
Material (Moulded)	Bicomponent plastic grips



MECHANICAL CRIMPING TOOLS HP3

Products used together

Connectors

CLOSE END CONNECTORS NL-P

NL03-P	NL06-P	NL06-PB
NL1-P	NL1-PG	

PC INSULATED DISCONNECT TERMINALS F-

BF-BM5	BF-F405	BF-F405P
BF-F408	BF-F408P	BF-F608
BF-F608P	BF-FM608	BF-M608
BF-M608P	GF-F608	GF-F608P
GF-M608	RF-BF4	RF-BM4
RF-F305	RF-F305P	RF-F308
RF-F308P	RF-F405	RF-F405P
RF-F408	RF-F408P	RF-F608
RF-F608P	RF-FM608	RF-M608
RF-M608P		

REINFORCED PA 6.6 DISCONNECT TERMINALS KF

BKF-BF4	BKF-BM4	BKF-F405
BKF-F405P	BKF-F408	BKF-F408P
BKF-F608	BKF-F608P	BKF-FM608
BKF-M608	GK-F608	GK-F608P
GKF-M608	RKF-BF4	RKF-BM4
RKF-F305	RKF-F308	RKF-F405
RKF-F405P	RKF-F408	RKF-F408P
RKF-F608P	RKF-FM608	RKF-M608

HALOGEN FREE INSULATED TERMINALS P

BP-M10	BP-M12	BP-M2
BP-M3	BP-M3.5	BP-M3.5/1
BP-M4	BP-M5	BP-M6
BP-M6/1	BP-M6/2	BP-M7
BP-M8	BP-P10	BP-P12
BP-P8	BP-PP12	BP-PP12/25
BP-PP12/29	BP-PP16/25	BP-PPL30
BP-PPL46	BP-U10	BP-U12
BP-U3	BP-U3.5	BP-U3.5/1
BP-U4	BP-U4/1	BP-U4/2
BP-U5	BP-U6	BP-U6/1
BP-U8	GP-M10	GP-M10/1
GP-M12	GP-M14	GP-M16
GP-M3	GP-M3.5	GP-M4
GP-M5	GP-M6	GP-M6/1
GP-M7	GP-M8	GP-M8/1
GP-P10	GP-P12	GP-P14
GP-PP12	GP-PP17	GP-PPL46
GP-U10	GP-U10/1	GP-U12
GP-U14	GP-U16	GP-U3.5
GP-U4	GP-U5	GP-U6
GP-U8	P03-M3	P03-M3.5
P03-M4	P03-M5	P03-M6
P06-M10	P06-M12	P06-M3
P06-M3.5	P06-M4	P06-M5
P06-M6	P06-M8	P1-M10
P1-M12	P1-M3	P1-M3.5
P1-M4	P1-M5	P1-M6
P1-M8	RP-M10	RP-M12
RP-M2	RP-M3	RP-M3.5
RP-M3.5/1	RP-M4	RP-M4/3
RP-M5	RP-M6	RP-M6/1
RP-M7	RP-M8	RP-P10
RP-P12	RP-P8	RP-PP12
RP-PP12/1	RP-PP12/19	RP-PP12/23
RP-PP14	RP-PP16/23	RP-PPL30
RP-PPL46	RP-U10	RP-U12
RP-U3	RP-U3.5	RP-U3.5/2
RP-U4	RP-U4/1	RP-U4/2
RP-U5	RP-U5/1	RP-U6
RP-U6/1	RP-U8	

PVC INSULATED CRIMP TERMINALS F

BF-M10	BF-M12	BF-M2
BF-M3	BF-M3.5	BF-M3.5/1
BF-M4	BF-M5	BF-M6
BF-M6/1	BF-M6/2	BF-M7
BF-M8	BF-P10	BF-P12
BF-P8	BF-PP10	BF-PP12
BF-PP12/25	BF-PP12/29	BF-PP16/25
BF-PPL30	BF-PPL46	BF-U10
BF-U12	BF-U3	BF-U3.5
BF-U3.5/1	BF-U4	BF-U4/1
BF-U4/2	BF-U5	BF-U5/2
BF-U6	BF-U6/1	BF-U8
GF-M10	GF-M10/1	GF-M12
GF-M14	GF-M16	GF-M3
GF-M3.5	GF-M4	GF-M5
GF-M6	GF-M6/1	GF-M7
GF-M8	GF-M8/1	GF-P10
GF-P12	GF-P14	GF-PP12
GF-PP17	GF-PPL46	GF-U10
GF-U10/1	GF-U12	GF-U14
GF-U16	GF-U3.5	GF-U4
GF-U5	GF-U6	GF-U8
RF-M10	RF-M12	RF-M2
RF-M3	RF-M3.5	RF-M3.5/1
RF-M4	RF-M4/3	RF-M5
RF-M6	RF-M6/1	RF-M7
RF-M8	RF-P10	RF-P12
RF-P8	RF-PP12	RF-PP12/1
RF-PP12/19	RF-PP12/23	RF-PP14
RF-PP16/23	RF-PPL30	RF-PPL46
RF-U10	RF-U12	RF-U3
RF-U3.5	RF-U3.5/1	RF-U3.5/2
RF-U4	RF-U4/1	RF-U4/2
RF-U5	RF-U5/1	RF-U6
RF-U6/1	RF-U8	

REINFORCED PA 6.6 INSULATED TERMINALS KY

BKY-M10	BKY-M12	BKY-M3
BKY-M3.5	BKY-M3.5/1	BKY-M4
BKY-M5	BKY-M6/1	BKY-M8
BKY-P10	BKY-P12	BKY-P8
BKY-PP12	BKY-PP12/25	BKY-PP16/23
BKY-PPL30	BKY-PPL46	BKY-U3
BKY-U3.5	BKY-U4	BKY-U5
BKY-U6	BKY-U6/1	GKY-M10
GKY-M12	GKY-M14	GKY-M16
GKY-M3.5	GKY-M4	GKY-M5
GKY-M6	GKY-M8	GKY-P14
GKY-PP12	GKY-PP17	GKY-PPL46
GKY-U3.5	GKY-U4	GKY-U5
GKY-U6	GKY-U8	RKY-M10
RKY-M12	RKY-M3	RKY-M3.5
RKY-M3.5/1	RKY-M4	RKY-M5
RKY-M6/1	RKY-M8	RKY-P10
RKY-P12	RKY-P8	RKY-PP12
RKY-PP12/19	RKY-PP16/23	RKY-PPL30
RKY-PPL46	RKY-U3	RKY-U3.5
RKY-U4	RKY-U5	RKY-U6
RKY-U6/1		

Through connectors

BUTT CONNECTORS NL-M

NL03-M	NL06-M	NL1-M
--------	--------	-------

BUTT PARALLEL PL-P

PL03-P	PL06-P
--------	--------

BUTT CONNECTORS PL-M

PL03-M	PL06-M	PL1-M
--------	--------	-------

In the same kit

Storage

Assortment case VALSTAR - VALSTAR V3-F

Approvals

Tools
ENEL - ENEL 762501
DB SAP - DB SAP 730266