

# 1142

COUNTER-NUT WITH COLLAR, IN PA6.6 POLYAMIDE, PG PITCH



## Features

### TECHNICAL INFORMATION

Range of operating temperature (dynamic)	-20°C
Range of operating temperature (static)	-40°C

### CLASSIFICATION AND DATA ORDERING


Customs code	39269097
--------------	----------

### MATERIAL COMPOSITION AND TREATMENTS

Material	Polyamide PA6.6
----------	-----------------

### CERTIFICATIONS

Self-extinguishing fire class according to UL 94	V2
--	----



tipo	P	Colour	Width [mm]	B [mm]	H [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant
1142007	Pg7	grey	21	19	5	100	100	Yes
1142007N	Pg7	black	21	19	5	100	100	Yes
1142007G	Pg7	grey	21	19	5	100	100	Yes
1142009	Pg9	grey	24	22	5	100	700	Yes
1142009N	Pg9	black	24	22	5	100	700	Yes
1142009G	Pg9	grey	24	22	5	100	700	Yes
1142011	Pg11	grey	26	24	5	100	500	Yes
1142011N	Pg11	black	26	24	5	100	500	Yes
1142011G	Pg11	grey	26	24	5	100	500	Yes
1142013	Pg13.5	grey	29	27	6	100	400	Yes
1142013N	Pg13.5	black	29	27	6	100	400	Yes
1142013G	Pg13.5	grey	29	27	6	100	400	Yes
1142016	Pg16	grey	33	30	6	100	100	Yes
1142016N	Pg16	black	33	30	6	100	300	Yes
1142016G	Pg16	grey	33	30	6	100	300	Yes
1142021	Pg21	grey	39	36	7	50	100	Yes
1142021N	Pg21	black	39	36	7	50	100	Yes
1142021G	Pg21	grey	39	36	7	50	100	Yes
1142029	Pg29	grey	50	46	7	50	50	Yes
1142029N	Pg29	black	50	46	7	50	50	Yes
1142029G	Pg29	grey	50	46	7	50	50	Yes
1142036	Pg36	grey	66	60	8	30	30	Yes
1142036N	Pg36	black	66	60	8	30	30	Yes
1142036G	Pg36	grey	66	60	8	30	30	Yes
1142042	Pg42	grey	73	65	8	25	25	Yes
1142042N	Pg42	black	73	65	8	25	25	Yes
1142042G	Pg42	grey	73	65	8	25	25	Yes
1142048	Pg48	grey	78	70	8	20	20	Yes
1142048N	Pg48	black	78	70	8	20	20	Yes
1142048G	Pg48	grey	78	70	8	20	20	Yes

