

## PMF-HF

FLAT HOLDERS, FOR FLAT TAGS, EVA COPOLYMER, HALOGEN FREE



## Features

### TECHNICAL INFORMATION

Minimum operating temperature	-40°C
Maximum operating temperature	80°C
Colour	transparent

### CLASSIFICATION AND DATA ORDERING

Customs code	39269097
--------------	----------

### MATERIAL COMPOSITION AND TREATMENTS

Material	EVA copolymer
Halogen free	Yes

### CERTIFICATIONS

Self-extinguishing fire class according to UL 94	HB
--	----



**PMF-00-HF** Range of cable cross section [mm<sup>2</sup>]  $\varnothing$  [mm]  
**0.25** **1.3**

tipo	Width [mm]	L [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	EN ISO 4892-2
90000-HF	4.8	10	8000	8000	Yes	Yes
90010-HF	4.8	12	7000	7000	Yes	Yes
90020-HF	4.8	15	6000	6000	Yes	Yes
90040-HF	4.8	20	4000	4000	Yes	Yes

**PMF-01-HF** Range of cable cross section [mm<sup>2</sup>]  $\varnothing$  [mm]  
**0.5** **2**

tipo	Width [mm]	L [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	EN ISO 4892-2
90100-HF	5	10	6000	6000	Yes	Yes
90110-HF	5	12	5000	5000	Yes	Yes
90120-HF	5	15	4000	4000	Yes	Yes
90140-HF	5	20	3000	3000	Yes	Yes
90170-HF	4	30	2000	2000	Yes	
90170N-HF	5	30	1500	1500		Yes

**PMF-02-HF** Range of cable cross section [mm<sup>2</sup>]  $\varnothing$  [mm]  
**2.5** **3.4**

tipo	Width [mm]	L [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	EN ISO 4892-2
90200-HF	5.1	10	4000	4000	Yes	Yes
90210-HF	5.1	12	4000	4000	Yes	Yes
90220-HF	5.1	15	3000	3000	Yes	Yes
90240-HF	5.1	20	2000	2000	Yes	Yes
90270N-HF	5.1	30	500	500		Yes
90270-HF	5.1	30	1000	1000	Yes	Yes

**PMF-03-HF** Range of cable cross section [mm<sup>2</sup>]  $\varnothing$  [mm]  
**4** **4**

tipo	Width [mm]	L [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	EN ISO 4892-2
90300-HF	7.6	10	3000	3000	Yes	Yes
90310-HF	7.6	12	2000	2000	Yes	Yes
90320-HF	7.6	15	2000	2000	Yes	Yes
90370N-HF	7.6	30	500	500		Yes
90340-HF	7.6	20	1000	1000	Yes	Yes

tipo	Width [mm]	L [mm]	Unit in minimal packaging [pce]	Unit in standard packaging [pce]	ROHS compliant	EN ISO 4892-2
90370-HF	4	30	1000	1000	Yes	



Via Serenissima, 9 - 25135  
Brescia - ITALY